





V.C.S. CIVI 2000/4

Illustration shows one possible configuration.



STEEL



Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 41 80 11	CIVI 2000/38/60-400	250	370	40	120	460	400	450	110
58 41 80 21	CIVI 2000/38/60-500	250	370	40	120	560	400	450	123
58 41 80 22	CIVI 2000/38/60-500	300	420	40	120	560	500	500	165
58 41 80 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	142
58 41 80 32	CIVI 2000/38/60-630	300	420	40	120	690	500	500	187
58 41 80 33	CIVI 2000/38/60-630	380	500	40	120	690	630	580	261
58 42 80 11	CIVI 2000/90-400	250	390	40	130	460	400	480	110
58 42 80 21	CIVI 2000/90-500	250	390	40	130	560	400	480	123
58 42 80 22	CIVI 2000/90-500	300	440	40	130	560	500	530	165
58 42 80 31	CIVI 2000/90-630	250	390	40	130	690	400	480	142
58 42 80 32	CIVI 2000/90-630	300	440	40	130	690	500	530	187
58 42 80 33	CIVI 2000/90-630	380	520	40	130	690	630	610	261

* Weight only for V.C.S. without CIVI

ALUMINIUM

Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 42 79 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	66
58 42 79 32	CIVI 2000/38/60-630	250	370	40	120	690	400	450	76
58 42 79 33	CIVI 2000/38/60-630	250	500	40	120	690	630	580	122
58 42 79 31	CIVI 2000/90-630	250	390	40	130	690	400	480	66
58 42 79 32	CIVI 2000/90-630	250	390	40	130	690	500	480	76
58 42 79 33	CIVI 2000/90-630	250	520	40	130	690	630	610	122

* Weight only for V.C.S. without CIVI





STEEL

Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 42 85 11	CIVI 2000/38/60-400	250	370	40	120	460	400	450	119
58 42 85 21	CIVI 2000/38/60-500	250	370	40	120	560	400	450	138
58 42 85 22	CIVI 2000/38/60-500	250	370	40	120	560	500	450	165
58 42 85 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	160
58 42 85 32	CIVI 2000/38/60-630	250	370	40	120	690	500	450	188
58 42 85 33	CIVI 2000/38/60-630	380	500	40	120	690	630	580	308
58 42 85 11	CIVI 2000/90-400	250	390	40	130	460	400	480	119
58 42 85 21	CIVI 2000/90-500	250	390	40	130	560	400	480	138
58 42 85 22	CIVI 2000/90-500	250	390	40	130	560	500	480	165
58 42 85 31	CIVI 2000/90-630	250	390	40	130	690	400	480	160
58 42 85 32	CIVI 2000/90-630	250	390	40	130	690	500	480	188
58 42 85 33	CIVI 2000/90-630	380	520	40	130	690	630	610	308

ALUMINIUM

Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 42 75 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	68
58 42 75 32	CIVI 2000/38/60-630	250	370	40	120	690	500	450	79
58 42 75 33	CIVI 2000/38/60-630	380	500	40	120	690	630	580	126
58 42 75 31	CIVI 2000/90-630	250	390	40	130	690	400	480	68
58 42 75 32	CIVI 2000/90-630	250	390	40	130	690	500	480	79
58 42 75 33	CIVI 2000/90-630	380	520	40	130	690	630	610	126





STEEL


Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 42 86 11	CIVI 2000/38/60-400	250	370	40	120	460	400	450	116
58 42 86 21	CIVI 2000/38/60-500	250	370	40	120	560	400	450	133
58 42 86 22	CIVI 2000/38/60-500	250	370	40	120	560	500	450	162
58 42 86 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	155
58 42 86 32	CIVI 2000/38/60-630	250	370	40	120	690	500	450	183
58 42 86 33	CIVI 2000/38/60-630	380	500	40	120	690	630	580	300
58 42 86 11	CIVI 2000/90-400	250	390	40	130	460	400	480	116
58 42 86 21	CIVI 2000/90-500	250	390	40	130	560	400	480	133
58 42 86 22	CIVI 2000/90-500	250	390	40	130	560	500	480	162
58 42 86 31	CIVI 2000/90-630	250	390	40	130	690	400	480	155
58 42 86 32	CIVI 2000/90-630	250	390	40	130	690	500	480	183
58 42 86 33	CIVI 2000/90-630	380	500	40	130	690	630	610	300

ALUMINIUM

Cod.	for type	C mm	D mm	E mm	F mm	H mm	L mm	M mm	Weight kg
58 42 76 31	CIVI 2000/38/60-630	250	370	40	120	690	400	450	66
58 42 76 32	CIVI 2000/38/60-630	250	370	40	120	690	500	450	76
58 42 76 33	CIVI 2000/38/60-630	380	500	40	120	690	630	580	122
58 42 76 31	CIVI 2000/90-630	250	390	40	130	690	400	480	66
58 42 76 32	CIVI 2000/90-630	250	390	40	130	690	500	480	76
58 42 76 33	CIVI 2000/90-630	380	520	40	130	690	630	610	122







Cod.	for type	J mm	D mm	M mm	L mm	Ø rot. mm	Ø A mm	Ø B mm	Ø C mm	E mm	Weight kg
77 58 41 11	CIVI 2000/60-400				400						19
77 58 41 12	CIVI 2000/60-500	60	90	170	500	200	170	140	9	50	23
77 58 41 13	CIVI 2000/60-630				630						29
77 58 42 11	CIVI 2000/90-400				400						34
77 58 42 12	CIVI 2000/90-500	90	115	205	500	230	210	180	11	70	41
77 58 42 13	CIVI 2000/90-630				630						50




Working example

Clamping capacity

				
	A max mm			
TETRABLOK 60x400	270	100	43	15
TETRABLOK 60x500	370	150	76	40
TETRABLOK 60x630	500	215	120	73
TETRABLOK 90x400	249	84	29	-
TETRABLOK 90x500	349	134	62	26
TETRABLOK 90x630	479	199	106	59





**ALL THE TOMBSTONES FOR CIVI
CAN BE USED FOR TETRABLOK**